

To: CN=Rick Wilkin/OU=ADA/O=USEPA/C=US@EPA[]
Cc: CN=Steve Hawthorn/OU=ADA/O=USEPA/C=US@EPA[]
From: CN=Alice Gilliland/OU=CI/O=USEPA/C=US
Sent: Thur 7/19/2012 6:42:15 PM
Subject: Re: Pavillion samples to be shipped

Rick,

It is still uncertain, so we need to keep it a possibility. As you and I discussed earlier, we have removed the U and Th from the modified analysis request because time will not allow. We have maintained the other modifications to their SOW, for consistency with 6020A. CLP will send that MA out now for bids today. I have asked for a timeline re: returning bids and then shipping (waiting for a response). I will let you know what I learn.

For confirmation, the samples are ready to ship with all requirements included?

Thanks,
Alice

Alice Gilliland, Ph.D.
Assistant Laboratory Director for Water
National Risk Management Research Laboratory
U.S. EPA Office of Research and Development
Cincinnati, OH
513-569-7852

From: Rick Wilkin/ADA/USEPA/US
To: Alice Gilliland/CI/USEPA/US@EPA, Steve Hawthorn/ADA/USEPA/US@EPA
Date: 07/19/2012 02:12 PM
Subject: Pavillion samples to be shipped

Alice - is it likely that the samples will need to be shipped on Saturday, or are we still uncertain?

If so, we would need to go to Norman for a Saturday shipment.

Steve - I cannot lose the time on Saturday driving up to and back to Norman. I'll be working here, so we may have to find someone willing to make the trip, can you help?

Thanks,
Rick

Richard T. Wilkin, Ph.D.
Geochemist
U.S. Environmental Protection Agency
National Risk Management Research Laboratory
919 Kerr Research Drive
Ada, OK 74820

off: 580-436-8874
wilkin.rick@epa.gov

www.epa.gov/ada/